

	Typ e	Hits	Search Text	DBs	Time Stamp
1	BRS	117	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:48
2	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) same ((desir\$3 or wish\$3 or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:22
3	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ((desir\$3 or wish\$3 or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:38
4	BRS	8	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))same((desir\$3 or wish\$3 or requir\$5 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:19
5	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) same ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 13:54
6	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)same host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 09:43
7	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))same((desir\$3 or wish\$3 or requir\$5 or send or suggest\$3)near4 host)	EPO; JPO; DERWENT	2003/11/13 10:07
8	BRS	1	4628457.pn.	EPO; JPO; DERWENT	2003/11/13 10:07

	Type	Hits	Search Text	DBs	Time Stamp
9	BRS	1	4573115.pn.	EPO; JPO; DERWENT	2003/11/13 10:07
10	BRS	1	4520455.pn.	EPO; JPO; DERWENT	2003/11/13 10:07
11	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ((desir\$3 or wish\$3 or command or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:22
12	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ((desir\$3 or wish\$3 or command or requir\$3 or send or suggest\$3)with host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:22
13	BRS	0	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) same ( host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:23
14	BRS	14	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ( host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:23
15	BRS	24	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and (((pram or ram or (parameter or program)near4 ram))near6 (prom or rom or eprom or (program or parameter)near4 rom))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:41
16	BRS	13	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))) and ((sav\$3 or stor\$4)with(((pram or ram or (parameter or program)near4 ram))near6 (prom or rom or eprom or (program or parameter)near4 rom)))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:47

	Typ e	Hits	Search Text	DBs	Time Stamp
17	BRS	35374	((sav\$3 or stor\$4)with(((pram or ram or (parameter or program)near4 ram))near6 (prom or rom or eprom or (program or parameter)near4 rom)))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:48
18	BRS	21	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))near5 ((pram or ram or (parameter or program)near4 ram))with (prom or rom or eprom or (program or parameter)near4 rom)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 10:52
19	BRS	117	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 13:52
20	BRS	341	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))near5 (programmable or EPROM or rom or storage)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:03
21	BRS	1	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))near5 (programmable or EPROM or rom or storage)) same ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:31
22	BRS	1	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))near5 (programmable or EPROM or rom or storage)) with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:48
23	BRS	0	((output near3 (device or apparatus or equipment or printer))with (reprogrammable near3 (memory or rom or storage or medium))) same host	USPAT; US-PGPU B; IBM_TDB	2003/11/13 13:59
24	BRS	8	(output near3 (device or apparatus or equipment or printer))with (reprogrammable near3 (memory or rom or storage or medium))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:01
25	BRS	5320	((interface or intermediate)near4 controller)with output	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:02
26	BRS	469	((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:02

	Typ e	Hits	Search Text	DBs	Time Stamp
27	BRS	0	(((((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))) same host) and ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)) and (((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment))))near5 (programmable or EPROM or rom or storage))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:04
28	BRS	1	(((((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))) same host) and ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)) and (((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment))))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:06
29	BRS	25	(((((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))) same host) and ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:47
30	BRS	5	(((((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))) same host) and ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)) and (( (operat\$4 near3 (parameters or value\$1 or enviornment))))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:06
31	BRS	63	((((interface or intermediate)near4 controller) with (output near3 (device or apparatus or equipment or printer))) same host	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:28
32	BRS	12695	(output or imag\$3 or print\$3)near6 (operat\$4 near3 (parameters or value\$1 or enviornment))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:45
33	BRS	5	((output or imag\$3 or print\$3)near6 (operat\$4 near3 (parameters or value\$1 or enviornment))) same ((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)with((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:32

	Type	Hits	Search Text	DBs	Time Stamp
34	BRS	3567	((operat\$4 near3 (parameters or value\$1 or enviornment))near5 (sav\$4 or stor\$4 or program\$4 or writ\$4))same (EPROM or writ\$5 or reprogrammable or prom)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:47
35	BRS	4	((((operat\$4 near3 (parameters or value\$1 or enviornment))near5 (sav\$4 or stor\$4 or program\$4 or writ\$4))same (EPROM or writ\$5 or reprogrammable or prom)) same ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)with host)) and (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:48
36	BRS	24	((((operat\$4 near3 (parameters or value\$1 or enviornment))near5 (sav\$4 or stor\$4 or program\$4 or writ\$4))same (EPROM or writ\$5 or reprogrammable or prom)) same ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)near4 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:49
37	BRS	39	((((operat\$4 near3 (parameters or value\$1 or enviornment))near5 (sav\$4 or stor\$4 or program\$4 or writ\$4))same (EPROM or writ\$5 or reprogrammable or prom)) same ((desir\$3 or wish\$3 or command\$4 or instruction\$1 or requir\$3 or send or suggest\$3)with host)	USPAT; US-PGPU B; IBM_TDB	2003/11/13 14:55
38	BRS	0	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) near5 (operating near2 paramemters))with (non\$volatile or flash or prom or EPROM)	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:37
39	BRS	0	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) with (operating near2 paramemters))same (non\$volatile or flash or prom or EPROM)	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:36
40	BRS	0	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) near5 (operating near2 paramemters))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:36
41	BRS	6892	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:03
42	BRS	72	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)) same (host near3 (device or apparatus))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:04

	Typ e	Hits	Search Text	DBs	Time Stamp
43	BRS	3	((((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)) same (output near3 (device or apparatus))) and (((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)) same (host near3 (device or apparatus)))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:39
44	BRS	62	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)) same (output near3 (device or apparatus))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:48
45	BRS	18	((((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (non\$volatile or flash or prom or EPROM)) same (output near3 (device or apparatus))) and (host near3 (device or apparatus or computer))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:42
46	BRS	4754	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting))near6 (non\$volatile or flash or prom or EPROM)	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:04
47	BRS	73	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting))near6 (non\$volatile or flash or prom or EPROM)) same ((host or re\$mot\$4)near6 (command or input or instruction))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:48
48	BRS	15	((((upgrad\$4 or reprogram\$4 or updat\$4 or resetting))near6 (non\$volatile or flash or prom or EPROM)) same ((host or re\$mot\$4)near6 (command or input or instruction))) and (output near3 (device or apparatus))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 09:48
49	BRS	35943	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (output or peripheral or priinter)	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:03
50	BRS	108	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (output or peripheral or priinter)) same (host near3 (device or apparatus))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:05
51	BRS	238	((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (output or peripheral or priinter)) same (((upgrad\$4 or reprogram\$4 or updat\$4 or resetting))near6 (non\$volatile or flash or prom or EPROM))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:04

	Typ e	Hits	Search Text	DBs	Time Stamp
52	BRS	8	((((upgrad\$4 or reprogram\$4 or updat\$4 or resetting) )with (output or peripheral or priinter)) same ((upgrad\$4 or reprogram\$4 or updat\$4 or resetting))near6 (non\$volatile or flash or prom or EPROM))) same (host near3 (device or apparatus))	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:21
53	BRS	1	5898869.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:22
54	BRS	1	6253281.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:24
55	BRS	1	6151657.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:25
56	BRS	1	6038640.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:26
57	BRS	1	6009497.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:29
58	BRS	1	5901330.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:30
59	BRS	1	5819108.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:31
60	BRS	0	503056.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:32
61	BRS	1	5603056.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:32
62	BRS	1	5889970.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:33
63	BRS	1	5881281.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:34

	Typ e	Hits	Search Text	DBs	Time Stamp
64	BRS	1	5875313.pn.	USPAT; US-PGPU B; IBM_TDB	2003/11/20 10:34
65	BRS	2	11309954.pn.	EPO; JPO; DERWENT	2003/11/25 10:50
66	BRS	2674	kazuko.inv.	JPO	2003/11/25 10:50
67	BRS	19	kazuko.inv. and (output near2 device)	JPO	2003/11/25 10:51
68	BRS	15	kazuko.inv. and (stor\$4 near2 medium)	JPO	2003/11/25 10:51
69	BRS	0	(kazuko.inv. and (output near2 device)) and (stor\$4 near2 medium)	JPO	2003/11/25 10:54
70	BRS	1	(kazuko.inv. and (output near2 device)) and (control\$4 near3 method)	JPO	2003/11/25 10:54
71	BRS	61	kazuko.inv. and (control\$4 near3 method)	JPO	2003/11/25 10:53
72	BRS	61	(kazuko.inv. and (control\$4 near3 method)) and (control\$4 near3 method)	JPO	2003/11/25 10:54
73	BRS	9	((kazuko.inv. and (control\$4 near3 method)) and (control\$4 near3 method)) and (stor\$4 near2 medium)	JPO	2003/11/25 10:57
74	BRS	330	(output near3 (device or apparatus or imag\$4))same (("same" or like or exact\$4 or similar)near5 host)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 12:45
75	BRS	121	((output near3 (device or apparatus or imag\$4))same (("same" or like or exact\$4 or similar)near5 host)) and (non\$volatile or prom or eProm)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 11:11
76	BRS	114	((output near3 (device or apparatus or imag\$4))same (("same" or like or exact\$4 or similar)near5 host)) and (non\$volatile or prom or eProm)) and (volatile or ram)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 11:01
77	BRS	326	((output near3 (device or apparatus or imag\$4))same (("same" or like or exact\$4 or similar)near5 host)) and (control\$4 or reprogram\$4 or program\$4)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 11:11
78	BRS	1478	(output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 12:48
79	BRS	120	((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 12:49



	Type	Hits	Search Text	DBs	Time Stamp
80	BRS	33	((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network)) and (operat\$4 near3 controller)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 12:50
81	BRS	9	((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network)) and (operat\$4 near3 parameter)) and (((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network)) and (operat\$4 near3 controller))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 12:50
82	BRS	14	((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network)) and (operat\$4 near3 parameter)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:08
83	BRS	117	((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:15
84	BRS	120	((output near3 (device or apparatus or imag\$4))with ((control\$4 or upgrad\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) same (host or network))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:23
85	BRS	216358	((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:21
86	BRS	45919	((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) ) and ((sav\$4 or stor\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:06
87	BRS	46253	((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) ) ) and ((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:07

	Typ e	Hits	Search Text	DBs	Time Stamp
88	BRS	31378	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:13
89	BRS	9412	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:09
90	BRS	2536	((((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))) and (host near4 (computer or system))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:10
91	BRS	2118	((((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))) and (host near4 (computer or system))) and (printer or imag\$3)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:10
92	BRS	25394	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))with (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:12
93	BRS	46031	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and ((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near6 (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:14

	Type	Hits	Search Text	DBs	Time Stamp
94	BRS	1910	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))) and (host near4 (computer or system))) and (printer or imag\$3)) and ((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near6 (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:14
95	BRS	4	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))) and (host near4 (computer or system))) and (printer or imag\$3)) and ((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near6 (ram or volatile))) and ((upgrad\$4 or chang\$4 or re\$program\$4 or set\$4 or transfer\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:16
96	BRS	4	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) ) and (((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near4 (rom or eeprom or prom or non\$volatile))same (ram or volatile))) and (output near3 (device or apparatus or imag\$4))) and (host near4 (computer or system))) and (printer or imag\$3)) and ((sav\$4 or stor\$4 or transfer\$4 or writ\$5) near6 (ram or volatile))) and ((upgrad\$4 or chang\$4 or reprogram\$4 or set\$4)near4 (operat\$4 near3 (parameters or value\$1 or enviornment)))with (output near3 (device or apparatus or equipment or printer))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:16
97	BRS	4432	((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with host	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:22

	Typ e	Hits	Search Text	DBs	Time Stamp
98	BRS	1883	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:22
99	BRS	96	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same(output near3 (device or apparatus or imag\$4))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:23
100	BRS	508	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same (printer or (output near3 (device or apparatus or imag\$4)))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:24
101	BRS	98	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same ((printer or (output near3 (device or apparatus or imag\$4)))with (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:25
102	BRS	98	((((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same (printer or (output near3 (device or apparatus or imag\$4)))) same ((printer or (output near3 (device or apparatus or imag\$4)))with (ram or volatile))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:25
103	BRS	12	((((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same (printer or (output near3 (device or apparatus or imag\$4)))) same ((printer or (output near3 (device or apparatus or imag\$4)))with (romm or non\$volatile or eeprom or prom))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:26

	Type	Hits	Search Text	DBs	Time Stamp
104	BRS	11	(((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same (printer or (output near3 (device or apparatus or imag\$4)))) same ((printer or (output near3 (device or apparatus or imag\$4)))with (ram or volatile))) and ((((((control\$4 or upgrad\$4 or stor\$4 or re\$program\$4 or reset\$4)near6 (parameter\$1 or code or font\$1)) )) with (host near3 computer)) same (printer or (output near3 (device or apparatus or imag\$4)))) same ((printer or (output near3 (device or apparatus or imag\$4)))with (romm or non\$volatile or eeprom or prom)))	USPAT; US-PGPU B; IBM_TDB	2003/11/25 16:26
105	BRS	14183 8	(print\$4 or imag\$4)near5 control\$4	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:10
106	BRS	5890	((print\$4 or imag\$4)near5 control\$4) with (rom or non\$volatile)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 08:44
107	BRS	6732	((print\$4 or imag\$4)near5 control\$4) with (rom or non\$volatile or flash or eeprom)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:11
108	BRS	3806	((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:10
109	BRS	408	((print\$4 or imag\$4)near5 control\$4) with (rom or non\$volatile or flash or eeprom)) with (host near3 computer)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:10
110	BRS	27	((print\$4 or imag\$4)near5 control\$4) with (rom or non\$volatile or flash or eeprom)) with (host near3 computer)) same ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:11
111	BRS	16464 8	(print\$4 or imag\$4)near5 control\$4	EPO; JPO; DERWENT	2003/11/26 09:29
112	BRS	2042	((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)	EPO; JPO; DERWENT	2003/11/26 09:10
113	BRS	2042	((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)) with (host near3 computer)	EPO; JPO; DERWENT	2003/11/26 09:30

	Type	Hits	Search Text	DBs	Time Stamp
114	BRS	66	(((((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)) with (host near3 computer)) with (rom or non\$volatile or flash or eeprom))	EPO; JPO; DERWENT	2003/11/26 09:11
115	BRS	7	(((((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)) with (host near3 computer)) with (rom or non\$volatile or flash or eeprom)) same ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))	EPO; JPO; DERWENT	2003/11/26 09:33
116	BRS	0	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with host) and ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with (print\$4 or imag44))	EPO; JPO; DERWENT	2003/11/26 09:17
117	BRS	8	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with host	EPO; JPO; DERWENT	2003/11/26 09:27
118	BRS	27	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with (print\$4 or imag44)	EPO; JPO; DERWENT	2003/11/26 10:37
119	BRS	0	(((((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)) and ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with host)	EPO; JPO; DERWENT	2003/11/26 09:28
120	BRS	0	((print\$4 or imag\$4)near5 control\$4) and ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with host)	EPO; JPO; DERWENT	2003/11/26 09:28
121	BRS	0	(((((print\$4 or imag\$4)near5 control\$4) with (host near3 computer)) and ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))))	EPO; JPO; DERWENT	2003/11/26 09:29

	Typ e	Hits	Search Text	DBs	Time Stamp
122	BRS	2440	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))))	EPO; JPO; DERWENT	2003/11/26 09:29
123	BRS	46	( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with ((print\$4 or imag\$4)near5 control\$4)	EPO; JPO; DERWENT	2003/11/26 09:30
124	BRS	0	(( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with ((print\$4 or imag\$4)near5 control\$4)) and (( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with (host near3 computer))	EPO; JPO; DERWENT	2003/11/26 09:30
125	BRS	0	(( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with ((print\$4 or imag\$4)near5 control\$4)) same (host near3 computer)	EPO; JPO; DERWENT	2003/11/26 09:30
126	BRS	0	(( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with ((print\$4 or imag\$4)near5 control\$4)) and (host near3 computer)	EPO; JPO; DERWENT	2003/11/26 09:31
127	BRS	2	( ((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))) with (host near3 computer)	EPO; JPO; DERWENT	2003/11/26 09:31
128	BRS	72740	((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:51
129	BRS	1627	((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4)) with ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:53

	Type	Hits	Search Text	DBs	Time Stamp
130	BRS	45	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))) with ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))) same ((output or print\$4 or imag\$4)near3 (device or apparatus)))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:36
131	BRS	0	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))) with ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))) same ((output or print\$4 or imag\$4)near3 (device or apparatus))) same ((host or resident or server)near3 (device or computer or apparatus)))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:36
132	BRS	24	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))) with ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information))) same ((output or print\$4 or imag\$4)near3 (device or apparatus))) and ((host or resident or server)near3 (device or computer or apparatus)))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:37
133	BRS	688	((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus)))	USPAT; US-PGPU B; IBM_TDB	2003/11/26 09:52
134	BRS	43	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:53
135	BRS	39	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same (host near3 (computer or device or apparatus)))	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:54



	Typ e	Hits	Search Text	DBs	Time Stamp
136	BRS	2	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same (host near3 (computer or device or apparatus))) same (rom or non\$volatile or flash or eeprom)	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:55
137	BRS	30	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same (host near3 (computer or device or apparatus))) and (rom or non\$volatile or flash or eeprom)	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:55
138	BRS	31	(((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same (host near3 (computer or device or apparatus))) and (ram or volatile or dram or sdram)	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 09:56
139	BRS	30	((((((remot\$4 or network)near5 (upgrad\$3 or re\$program\$4 or download\$3 or chang\$4 or set\$4))with (output or print\$3 or imag\$3)near3 (device or apparatus))) same (host near3 (computer or device or apparatus))) and (rom or non\$volatile or flash or eeprom)) and (ram or volatile or dram or sdram)	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 10:26
140	BRS	2	5481742.pn.	USPAT; US-PGPU B; DERWENT ; IBM_TDB	2003/11/26 10:27
141	BRS	151	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with (host or server)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 10:38
142	BRS	11	((constitency or similar\$4 or identical or equal\$3)near6 ((operating or control\$4 or function\$4 or enviornment)near3 (parameter or valu\$3 or information)))with (host or server)) same (print\$3 or imag\$4)	USPAT; US-PGPU B; IBM_TDB	2003/11/26 10:39